

Product Sheet

LED PAR56 LAMP

OSL-PAR56-252S



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	252pcs SMD3014 leds
Voltage:	12V
Power:	18W
IP rating:	IP68

OSL-PAR56-333S



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	333pcs SMD3014 leds
Voltage:	12V
Power:	23W
IP rating:	IP68

OSL-PAR56-432S



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	432pcs SMD3014 leds
Voltage:	12V
Power:	30W
IP rating:	IP68

OSL-PAR56-SMD5050



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	144pcs SMD5050 leds
Voltage:	12V
Power:	30W
IP rating:	IP68

RGB inner controlled with built-in controller, PAR56 change colors automatically
 Recommend switch On/Off mode controlled by manually turning On/Off the power supply switch button
 RGB remote controlled with built-in receiver, PAR56 change colors by RF controller manually
 External controller control & DMX control
 Color change program could be customized
 One Year Warranty

W = white color
 WW = warm white
 G = green color
 R = Red
 B = blue color
 Y = Yellow

Product Sheet

LED PAR56 LAMP

OSL-PAR56-9W



High Power PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	9 pcs High Power
Voltage:	1 Watt
Power:	12V
IP rating:	IP68

(Thick Glass housing)

RF-PAR56-12W



High Power PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	12 pcs High Power
Voltage:	1 Watt
Power:	12V
IP rating:	IP68

(Thick Glass housing)

OSL-PAR56-18W



High Power PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	18 pcs High Power
Voltage:	1 Watt
Power:	12V
IP rating:	IP68

(Thick Glass housing)

RF-PAR56-9K3W



High Power PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	9 pcs High Power 3 in one leds
Voltage:	1 Watt
Power:	12V
IP rating:	IP68

(Thick Glass housing)

RF-PAR56-12K3W



High Power PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	12 pcs High Power 3 in one leds
Voltage:	1 Watt
Power:	12V
IP rating:	IP68

(Thick Glass housing)

RGB inner controlled with built-in controller, PAR56 change colors automatically
 Recommend switch On/Off mode controlled by manually turning On/Off the power supply switch button
 RGB remote controlled with built-in receiver, PAR56 change colors by RF controller manually
 External controller control & DMX control
 Color change program could be customized
 One Year Warranty

W = white color
 WW = warm white
 G = green color
 R = Red
 B = blue color
 Y = Yellow

Product Sheet

DIP LEDS

RF-PAR56-252



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	252PC Φ5mm leds
Voltage:	18 Watt
Power:	12V
IP rating:	IP68

OSL-PAR56-351



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	351PC Φ5mm leds
Voltage:	24 Watt
Power:	12V
IP rating:	IP68

OSL-PAR56-501



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	501PC Φ5mm leds
Voltage:	30 Watt
Power:	12V
IP rating:	IP68

OSL-PAR56-558



PAR56 LED LIGHT

Unit Size:	Φ 178mm (max.)
Light:	558PC Φ5mm leds
Voltage:	35 Watt
Power:	12V
IP rating:	IP68

RGB inner controlled with built-in controller, PAR56 change colors automatically
 Recommend switch On/Off mode controlled by manually turning On/Off the power supply switch button
 RGB remote controlled with built-in receiver, PAR56 change colors by RF controller manually
 External controller control & DMX control
 Color change program could be customized
 One Year Warranty

W = white color
 WW = warm white
 G = green color
 R = Red
 B = blue color
 Y = Yellow